

IMPERATOR[®] SMOKE GENERATOR INSECTICIDE Date of Issue: October 2008

1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND SUPPLIER

Product name:	Imperator [®] Smoke Generator Insecticide
Other names:	None
Recommended	Insecticide
use:	
Supplier:	AgNova Technologies Pty Ltd
ACN:	097 705 158
Address:	Suite 10/857 Doncaster Road
	Doncaster East
	Victoria 3109 Australia
Telephone:	(03) 9840 2333
Facsimile:	(03) 9840 2555
Website:	www.agnova.com.au
Contact:	Managing Director
Emergency	
Telephone	
Number:	1800 033 111 (24 hours)

2. HAZARDS IDENTIFICATION

HAZARDOUS SUBSTANCE - DANGEROUS GOOD

Hazard designation:	Hazardous according to the criteria of NOHSC.
Risk phrases:	R9 – Explosive when mixed with combustible material. R20 – Harmful by inhalation.
	R22 – Harmful if swallowed.
Safety phrases:	S2 – Keep out of reach of children.
	S13 – Keep away from food, drink and animal feeding stuffs.
	S16 – Keep away from sources of ignition – No Smoking.
	S27 – Take off immediately all contaminated clothing.
ADG	This product is classified as a Class 9 Dangerous Good under the
classification:	Australian Code for the Transport of Dangerous Goods by Road and Rail.
ellenn	
SUSDP classification:	Poison Schedule 6 (S6) (Standard for the Uniform Scheduling of Drugs and Poisons)



IMPERATOR[®] SMOKE GENERATOR INSECTICIDE Date of Issue: October 2008

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:	CAS Number:	Concentration (%w/w):
Potassium perchlorate	3811-04-9	12.7
Permethrin	52645-53-1	13.5
Other ingredients	(non hazardous)	Balance

4. FIRST AID MEASURES

Inhalation:	Move person to fresh air. Aid in breathing, if necessary, and get immediate medical attention.
Skin contact:	If skin contact occurs, remove contaminated clothing and wash with soap and water. If irritation occurs seek medial advice.
Eye contact:	In case of contact, immediately flush eyes with copious quantities of water for at least 15 minutes. Seek medical advice.
Ingestion:	If swallowed rinse mouth with water and give water to drink. Immediately contact a doctor or Poisons Information Centre (telephone: 13 11 26) and follow the advice given. Only induce vomiting at the instruction of a physician.
First Aid Facilities:	Ensure washing facilities are available.

5. FIRE FIGHTING MEASURES

Extinguishing media:	Water fog, foam or dry agent.
Hazards from combustion products:	During a fire this product may release smoke, hazardous decomposition products and toxic fumes.
Precautions for fire fighters:	Wear self-contained breathing apparatus and structural fire fighters uniform.



IMPERATOR[®] SMOKE GENERATOR INSECTICIDE

Date of Issue: October 2008

6. ACCIDENTAL RELEASE MEASURES

Wear suitable protective clothing and boots. Prevent spill from entering drains, sewers or any body of water. Contain and absorb with sand, earth or inert absorbent. Scoop or shovel into sealable containers for disposal in accordance with applicable local, state and federal regulations. Decontaminate area with soap and water. Rinse.

7. HANDLING AND STORAGE

- **Handling:** Avoid contact with skin and eyes. Avoid breathing vapour/mist. Use with adequate ventilation.
- **Storage:** Store in a cool, dry well-ventilated area out of direct sunlight. Store in a locked room away from children, authorised persons, animals, food, feedstuffs, seed and fertilisers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure standards:	No occupational exposure standards have been established for the product or the other ingredients excluding Permethrin. Permethrin \rightarrow 10 mg/m ³ TWA for an 8 hour day/5 day working week.		
Engineering controls: Personal		ate ventilation. Use with local exhaust ventilation or a dust mask to avoid breathing vapour.	
Protective Equipment:	Eyes: Gloves: Respiratory:	Safety glasses. Impervious gloves. If inhalation risk use an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.	
Other Use Precautions:	Other:	Leave immediately after lighting smoke generators. Thoroughly ventilate treated areas before re-occupying.	

To be used strictly in accordance with label instructions.



IMPERATOR[®] SMOKE GENERATOR INSECTICIDE Date of Issue: October 2008

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Off-white powder
Odour:	Permethrin odour
Vapour	Not applicable
pressure:	
Vapour density:	Not applicable
Boiling point:	Not available
Freezing/meltin	
g point:	Not available
Solubility:	Practically insoluble
Density:	Not available
pH:	Not available
Molecular	
Weight:	Not available
Flash Point:	Not applicable
Flammability	
(explosive)	Not available
limits:	
Auto-ignition	
temperature:	>130°C
Octanol/water	
partition	
coefficient:	Not available

10. STABILITY AND REACTIVITY

Chemical stability:	Stable
Hazardous polymerisation:	None
Conditions to avoid:	None anticipated
Incompatible materials:	None known
Hazardous decomposition products:	During a fire this product may release smoke, hazardous decomposition products and toxic fumes.



IMPERATOR[®] SMOKE GENERATOR INSECTICIDE Date of Issue: October 2008

11. TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

Information on Product:

Inhalation:	Of dust - May result in respiratory irritation. Of smoke/vapour – irritant to mucous membranes and respiratory tract.
Skin contact:	May cause skin irritation.
Eye contact:	May cause eye irritation.
Ingestion:	No adverse health effects are expected from swallowing.
Other:	No other known health effects.

Chronic:

Prolonged or repeated skin contact may lead to allergic dermatitis. Overexposure may result in nausea, vomiting, diarrhea and in severe cases central nervous system depression, leading to tremours, convulsions and coma.

Information on Product:

Acute:

Oral toxicity:	Not available
Dermal toxicity:	LD ₅₀ rat: >2000 mg/kg
Inhalation	LC_{50} rat: = 2.3 mg/L/4 hours
toxicity:	
Skin irritation:	Slight irritant
Eye irritation:	Slight irritant
Sensitisation:	A moderate skin sensitiser

Information on Components:

Acute:

Oral toxicity:	LD ₅₀ rat: >806 mg/kg (Permethrin)
	LD ₅₀ rat: >1870 mg/kg (Potassium chlorate)
Dermal toxicity:	Not available
Inhalation	Not available
toxicity:	
Skin irritation:	Not available
Eye irritation:	Not available
Sensitisation:	Not available



IMPERATOR[®] SMOKE GENERATOR INSECTICIDE Date of Issue: October 2008

12. ECOLOGICAL INFORMATION

For the active ingredient; Permethrin

Fish toxicity:	Bluegill sunfish Rainbow trout (<i>Oncorhynchus mykiss</i>)		1.8 μg/L (48 hours) 5.4 μg/L (48 hours)
Daphnia toxicity:	Water flea (<i>Daphnia magna</i>)	LC ₅₀ :	0.6 µg/L (48 hours)
Toxicity to algae:	Not Available		
Bird toxicity:	Permethrin is practically non-toxic to birds. Chicken: Oral LD ₅₀ : >3000 mg/kg Japanese quail: Dietary LD ₅₀ : >13500 mg/kg		
Bee toxicity:	Permethrin is toxic to bees Oral LD ₅₀ : 0.098 μ g/bee Contact LD ₅₀ : 0.029 μ g/bee		
Other:	None		
Environmental fate,			
persistence and degradation:	Low soil mobility. High potential for bioaccumulation but is rapidly eliminated from fish (about 80% in 14 days). There is evidence of degradation in soil and water. The half life in soil is less than 38 days.		here is evidence of

13. DISPOSAL CONSIDERATIONS

Disposal of Waste Method:

Waste must not enter waterways.

Contaminated Packaging:

Empty containers can be wrapped in paper and placed in waste bin.



IMPERATOR[®] SMOKE GENERATOR INSECTICIDE Date of Issue: October 2008

TRANSPORT INFORMATION

3077 UN number: Proper ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. shipping name: 9 Class and Subsidiary **Risk:** Ш Packing Group: EPG: 9C1 Hazchem code: 2X

14. REGULATORY INFORMATION

 APVMA Registered according to the Agricultural and Veterinary Chemicals Act 1988 APVMA approval number: 59694
SUSDP Schedule 6

15. OTHER INFORMATION

Trademark® IMPERATOR is a registered trademark of a Syngenta Groupinformation:Company

AbbreviationsAPVMA – Australian Pesticides and Veterinary Medicines AuthorityandNOHSC – National Occupational Health and Safety CommissionAcronyms:SUSDP – Standard for the Uniform Scheduling of Drugs and Poisons

PreparationReplaces Feb 2007 edition.information:Reason for update: updating supplier contact information.

Data sources: Manufacturer and published data.

This MSDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

The opinions expressed herein are those of qualified experts with the manufacturer. Since the use of this information and of these opinions and the conditions of use of this product are not within the control of AgNova Technologies Pty Ltd, it is the user's obligation to determine the conditions of safe use of the product.

END OF MSDS